	Application No.	Applicant(s)
	10/521,457	MIZUNO ET AL.
Notice of Allowability	Examiner	Art Unit
	Sheela Rao	2125
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to papers filed 18 January 2005.		
2. The allowed claim(s) is/are <u>1-8</u> .		
 3.		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Add a bound of the second of t		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal Page	atent Application
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🔲 Interview Summary	(PTO-413),
3. ⊠ Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Date 7. ⊠ Examiner's Amendm	
Paper No./Mail Date <u>see attached</u> 4. Examiner's Comment Regarding Requirement for Deposit	8. ⊠ Examiner's Stateme	nt of Reasons for Allowance
of Biological Material	 9.	

Application/Control Number: 10/521,457

DETAILED ACTION

- 1. Claims 1-8 are pending and presented for examination.
- 2. Applicant's submission of references on form PTO-1449, filed 1 April 2005 and 18 January 2005, have been considered. A signed copy of each form is attached.

Allowable Subject Matter

3. Claims 1-8 are allowed.

Examiner's Amendment

4. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Surinder Sachar on January 3, 2007.

The application has been amended as follows:

Amend the abstract --

On line 7, delete "In S1, a contact detection start";

Delete lines 8-27 in their entirety.

Amend the claims -

Claim 4, lines 1 and 2, delete "any one of Claims 1 through 3" and insert – claim 1 --.

5. The following is an examiner's statement of reasons for allowance:

The prior arts of record fail to teach or fairly suggest a mounting apparatus and controller for such as claimed by the instant invention. The limitations of the instant claims define a mounting apparatus and a control apparatus for the mounting apparatus which enables high levels of maintenance and improvement of product quality by reliably preventing accidental contact of a

Application/Control Number: 10/521,457 Page 3

Art Unit: 2125

mounting part with a mounting target part while enhancing productivity. The limitations of instant claims 1 and 7 are not taught or rendered obvious when taken in context of the claims as a whole

or specific to the limitations of the dependent claims, 2-6 and 8.

Any comments considered necessary by applicant must be submitted no later than the payment

of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such

submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

As allowable subject matter has been indicated, applicant's reply must either comply with all 6.

formal requirements or specifically traverse each requirement not complied with. See 37 CFR 1.111(b)

and MPEP § 707.07(a).

Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should

be directed to Sheela Rao whose telephone number is (571) 272-3751. The examiner can normally be

reached Monday - Friday from 8:30 am to 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Leo

Picard, can be reached on (571) 272-3749. The fax number for the organization where this application

or any proceeding papers is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application

Information Retrieval (PAIR) system. Status information for published applications may be obtained from

either Private PAIR or Public PAIR. It should be noted that status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR system, see

http://pair-direct.uspto.gov. Should any questions arise regarding access to the Private PAIR system,

L-P-P

contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

January 3, 2007

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2100